

\_\_\_\_\_ : " "

\_\_\_\_\_ : 4000 3 " " .

\_\_\_\_\_ 3: .293 .521 ( L = 5229,42 ' )

\_\_\_\_\_ 4: .521 .436, .441 .583, .638 .483 ( L = 4153,33 ' )

\_\_\_\_\_ :



" " : "

" " ,

2017 , 3:

.293 .521 ( L = 5229,42 ' ) 4: .521 .436, .441 .583,

.638 .483 ( L = 4153,33 ' )

4000 3 " " .

" " ,

- ✓ **7098,64 ' ,**  
 HDPE- DN/OD400, PN10, SDR 17, PE 100-RC ( . N 12201-  
 2:2011+A1:2013 - , );
- ✓ **2189,10 ' ,**  
 HDPE- DN/OD400, PN16, SDR 11, PE 100-RC ( . N 12201-  
 2:2011+A1:2013 - , );
- ✓ **95,01 ' ,**  
 HDPE- DN/OD400, PN25, SDR 7.4, PE 100-RC ( . N 12201-  
 2:2011+A1:2013 - , );

		DN/OD ( )		PN (bar)	SDR	( ' )
1	.293 .295	400	HDPE PE 100-RC	10	11	12,40
2	.295 .299	400	HDPE PE 100-RC	16	17	150,72
3	.299 .394	400	HDPE PE 100-RC	10	11	2 807,05
4	.394 .401	400	HDPE PE 100-RC	16	17	302,98
5	.401 .409	400	HDPE PE 100-RC	10	11	956,72
6	.409 .505	400	HDPE PE 100-RC	16	17	186,74
7	.505 .521	400	HDPE PE 100-RC	10	11	812,81

			DN/OD ( )		PN (bar)	SDR	( )	
8	. 521	. 530	400	HDPE PE 100-RC	10	11	704,40	
9	. 530	. 424	400	HDPE PE 100-RC	16	17	307,50	
10	. 424	. 551	400	HDPE PE 100-RC	10	11	792,49	
11	. 551	. 431	400	HDPE PE 100-RC	16	17	110,41	
12	. 431	. 630.1	400	HDPE PE 100-RC	25	7.4	34,74	
13	. 630.1	. 557	400	HDPE PE 100-RC	16	17	145,09	
14	. 557	. 558	400	HDPE PE 100-RC	25	7.4	60,54	
15	. 558	. 436	400	HDPE PE 100-RC	16	17	222,92	
16	. 441	. 578	400	HDPE PE 100-RC	10	11	574,00	
17	. 578	. 448	400	HDPE PE 100-RC	16	17	277,20	
18	. 450	. 468	400	HDPE PE 100-RC	16	17	485,99	
19	. 468	. 483	400	HDPE PE 100-RC	10	11	438,77	
<b>HDPE- DN/OD400, PN10, SDR 17, PE 100-RC:</b>							<b>7098,64</b>	<b>'</b>
<b>HDPE- DN/OD400, PN16, SDR 11, PE 100-RC:</b>							<b>2189,10</b>	<b>'</b>
<b>HDPE- DN/OD400, PN25, SDR 7.4, PE 100-RC:</b>							<b>95,01</b>	<b>'</b>

$$L = 9\,382,75 \text{ '}$$

PE 100-RC ( N 12201-2:2011+A1:2013 -  
 (PN10, SDR17), 16 . (PN16, SDR11) 10  
 ” 2 22 25 . (PN25, SDR7.4).  
 ” 2005 . -  
 ( . . :  
 2018 .  
 ),  
 17 ” 11.12.2013 . ”

\_\_\_\_\_ :

2018 „ 3 % /  
( ),  
( )

\_\_\_\_\_ :

60- - Ø400 .

- ✓ : - ;
- ✓ ( 0,60 ( ) , ) ;
- ✓ ( ) ;
- ✓ ( ) ;
- ✓ - 3,00 2,00 ;
- ✓ ;
- ✓ ;
- ✓ ( ( ) , - , ) ;

1,60 \_\_\_\_\_ 1,65 , .

\_\_\_\_\_ :  
HDPE- , ( ) , - .  
-  
,  
,  
( ) , ( ) ,

2017  
 . 436 . 441 ( 40 6) L = 676,31  
 ; 13,00 ') - 3 / / 5 / / 169 ' (13  
 ✓ . 436 ( . 436 . 441)  
 . 393;  
 ✓ 6 ( . 441) -  
 . 634;  
 ✓ 4 ( . 322) -  
 ✓ . 323 . 393.  
 ✓ ( . 448) ( . 450)  
 3.  
 ( HDPE- ),  
 50 ( 50) - 6 - Ø400 (16 ).  
 27-  
 ( 50),

		-	
1	( N 14525) - DN/OD ( 398 442 ), HDPE L=523 EN- GJS-400, EN 681-1( ); (NIRO). POM; (NIRO), (NIRO), ; 180°; ; . 8° (+/- 4° ); (NIRO) ( . No. 6035 6036).		1
2	400 100RC, PN16		5

(PN5, PN10, PN15 PN20),  
 (PN10)

0,20 – 5 , ( – )  
 30  
 3,00 – 0,20 ).  
 – “ ” . 0,40 m

- 162 „ 2 22 2005 . , ,  
 ”:  
 1. ( ) –  
 2. ( );  
 ;  
 3. ( ) –

		1,5	
✓	, HDPE-	PN10 –	15 ;
✓	, HDPE-	PN16 –	24 ;
✓	, HDPE-	PN25 –	37,5 ;

50 mg/l) – ( ), (

✓

:

,

,

-

(

24 h.

50mg/l)

.

-

.

-

,

.



,

,

( ),

,

(

, )

.

, 0

( ).



1. :

,

,

,

.

2. :

,

,

,

.

,

,

,

.

,

.

,

,

,

.

3. / :

,

,

,

.



---

4.

15

5.

6.

7.

1.

✓

✓

✓

✓

✓

✓

2.

3.

1.





✓

, / ,  
( , , .).

( )

✓


Auto-CAD

-

Auto-CAD

” ”

. 52



✓ 1623 - ;

✓ 1660; EN 124 - ;

✓ 3078; 3079 - ;

✓ EN 1610 - ;

✓ EN 752 - ;

✓ EN 12201:2005 - ;

✓ EN 13476 -


. T o o  
(PVC-U), (PP) ( );

✓ EN 1074 - ;

✓ EN 545 - ;

✓ EN 545 - ;

✓ EN 545 - ;



- ✓ 18 2005 .. . 30, 65 102 2006 .. . 102 2008 .. . ( . . 47 2009 .); .. , .6 2006 .
- ✓ 1 ( , .43 2006 .); .. , .6 2006 .
- ✓ 2 ( , .34 2005 .); .. , .6 2005 .
- ✓ 4 ( .. , .53 2005 .; .. , .56 2005 .); .. , .9 2005 .
- ✓ 4 2004 .; 3887 2005 . - .41 2005 .); .. , .6 2005 . ( .. , .88 2004 .; .. , .93 2005 .)
- ✓ 4 2004 .
- ✓ -02-20-8 17.05.2013 .
- ✓ No 4
- ✓ No 8
- ✓ No 2 (No I -1971 29.10,2009)
- ✓ No 2

<http://www.dnsk.mrrb.government.bg/UI/Home.aspx?0ZKDwUgLUJpDpU6ocaJJFwuOmO6Y83hr9JmR2o8mKwHhfgocUapfPg%3d%3d>

- ✓ 2880:1984 - ;
- ✓ 4551:1974 - ;
- ✓ 9237:1971 - ;
- ✓ 9519:1984 - .
- ✓ 9546:1985 - ;
- ✓ EN 12697 : 2006 - .
- ;
- ✓ EN 13108-1/NA:2009 - ;
- ✓ EN 13249:2002 - .
- ;
- ✓ EN 13482:2003 - ( .. . );
- ;
- ✓ EN 13880-11:2004 - .

11:

9:	✓	EN 13880-9:2004 -	.
			;
	✓	173:1987 -	;
	✓	2282:1983 -	;
	✓	8989:1971 -	.
		;	
	✓	8990:1971 -	
		;	
	✓	15783:1983 -	;
	✓	171:1983 -	;
	✓	2271:1983 -	;
	✓	624:1987 -	;
	✓	EN 1340:2005 -	;
	✓	EN 1340:2005 -	;
	✓	EN 1340:2005/AC:2006 -	;
	✓	13620:1987 -	;
	✓	14509:1978 -	.
		;	
	✓	1740:1974 -	;
	✓	1741:1975 -	;
	✓	2.804:1982 -	.
		;	
	✓	2.828:1989 -	;
			;
	✓	2545:1977 -	;
	✓	2546:1972 -	;
	✓	2705:1983 -	.
		;	
	✓	2715:1979 -	;
	✓	2716:1975 -	.
		;	
	✓	2717:1975 -	;
	✓	2732:1988 -	;
	✓	3078:1971 -	;
	✓	3079:1978 -	.
		;	
	✓	3080:1975 -	;
	✓	3081:1975 -	;
	✓	3082:1975 -	;
	✓	3083:1975 -	;
	✓	3084:1971 -	;
	✓	3085:1978 -	90
		;	
	✓	3086:1978 -	45
		;	
	✓	3087:1978 -	.
		;	
	✓	3088:1971 -	;
	✓	3089:1971 -	;

✓	3090:1975 -										
✓	3091:1971 -										
✓	3092:1971 -										
✓	3095:1980 -										
	;										
✓	3114:1971 -	90									
✓	3115:1971 -	45									
✓	3116:1971 -	20	30"								
✓	3117:1971 -	11	15"								
✓	3118:1973 -										
	;										
✓	3119:1973 -										
	;										
✓	3553:1975 -	90									
✓	3554:1979 -										
	;										
✓	3556:1975 -										
✓	3557:1971 -										
✓	3562:1978 -										
	;										
✓	3563:1975 -										
✓	3564:1975 -										
✓	3574:1971 -	90									
✓	3575:1971 -	60									
✓	3576:1973 -	45									
✓	3577:1973 -	30									
✓	3589:1973 -	11	15'								
✓	3590:1979 -										
	;										
✓	3591:1979 -								" "		
	;										
✓	3592:1971 -										
✓	3593:1978 -										
	;										
✓	3594:1973 -	22	30'								
✓	7367:1980 -										
	;										
✓	8517:1978 -										
	;										
✓	EN 1420-1:2004 -								1:		
	;										
✓	EN 14801:2006 -										
	;										
✓	EN 545:1998 -										
	;										
✓	EN 545:2007 -										
	;										
✓	EN 681-1:2003/A2:2003 -									1:	
	;										

✓	EN 13476-1:2008 -	. T	o o	(PVC-U),	(PP)
( )	a a	1:			
✓	EN 13476-1:2008 -	. T	o o	(PVC-U),	(PP)
( )	a a	1:			
✓	EN 13476-2:2008 -	.	o o	(PVC-U),	(PP)
( )	a a	2:			
✓	EN 13476-2:2008 -	.	o o	(PVC-U),	(PP)
( )	a a	2:			
✓	EN 13476-3+A1:2009 -	.	o o	(PVC-U),	(PP)
( )	a a	3:			
✓	EN 13476-3+A1:2009 -	.	o o	(PVC-U),	(PP)
( )	a a	3:			
✓	1657:1972 -			( )	;
✓	1740:1974 -				;
✓	1858:1972 -				;
✓	1284-90 -				-
✓	2545-77-				;
✓	2732-88 -				;
✓	3896-77 -				;
✓	3897-75 -				;
✓	4181-91 -				;
✓	5583-74 -				;
✓	10896-73 -				;
✓	13620-87 -				;
✓	13850-76 -				;
✓	13851-80 -				;
✓	14061-77 -				;
✓	14063-77 -				;
✓	14905-79 -				;
✓	16551-86 -				;

---

✓	EN 545:2004 -	,							
✓	EN 805:2004 -	.							
✓	EN 1508:2004 -	.							
✓	EN 1717:2001 -	;							
✓	EN 13052-1:2004 -	,							
✓	EN 13077:2004 -	.						1:	
✓	EN 13078:2004 -	;							
✓	EN 13079:2004 -	,							
✓	ENV 1452-7:2001 -	.						D;	
✓	ENV 12108:2001 -	.							
✓	ISO 4064-1:2002 -	.							
✓	ISO 4064-2:2002 -	.							
✓	ISO 4427:2002 -	.							
✓	N 12201-2:2011+A1:2013 -	.							
	(NA);	,							

Á  
 Á Á  
 Á Á Á